


### Manway Cover Detail



Outside Dia	25"
No of bolts:	16
Bolt length:	1.5"
Bolt dia.:	1 1/4"
Nom. size:	
Rating:	
Type:	21/4" thick

Inches from Head Seam

Code Plate

U-1 on hand      Y/N  
 Heat Treat      Y/N  
 X-Ray            Y/N

### Tank Openings

### Tank Details


Description	Dimensions
O/A Length	A - 51'
Length - weld to weld	B - 40' 9"
Circumferanc	C - 32' 2"
Weld to End	D - 5'
Width of Piers	E - 10"
C/C of Piers	F - 34' 5"
C/L of Piers to Weld end	G - 39"
	H -
<b>Radius Bumped Head 62 13/32"</b>	

### No Size Type

### Description

1	2"	Liq	Flange		Manufacturer:	Horton Tank	Type of Head	Hemi	
2	1 1/4"	Vap	threaded	manway	Date of manufacture	1958			
3	2"	Vap	threaded	manway			Tank Capacity	USWG	30,000
4	2"	Liq	threaded	manway	Working Pressure	250 @ 250	Tank Weight	estimated	62,300
5					National Board Number	3306	Tank Shell		
6					Serial Number	3561	Tank Head	.5"	
7					Steel Type:				
8							Pier Type	(Concrete / saddles / Flat)	Concrete
9					Jurisdiction #		Tank Saddles	Steel	
10					Pressure Gauge	yes			
11					Liquid Level Gauge	ECII rotogauge			
12									
13					Paint Condition:	average			
14					Color:	white			
15							Information taken by:		Buddy Souto
16					Relief Valve Type	multiport	Date:		7/13/2009
17					Test Date		Tank Location		Americus, Ga

### Steel Saddle Footprint Sketch



		Number of bolt holes	<b>2</b>
A	8' 9"	Center to center of bolt holes	<b>n/a</b>
B	N/A	Center to center of bolt holes	<b>n/a</b>
C	9' 51/4"	Outside plate dimension	<b>n/a</b>
D	12"	Outside plate dimension	<b>n/a</b>
E	4"	Center of hole to edge of plate	<b>n/a</b>
F	6"	Center of hole to edge of plate	<b>n/a</b>
G	1.5"	Bolt Hole Diameter	<b>n/a</b>
		Bottom of Foot Plate to Shell	n/a