


**Manway Cover Detail**



Outside Dia	
No of bolts:	16
Bolt length:	
Bolt dia.:	
Nom. size:	
Rating:	
Type:	
Height of above shell:	

Inches from Head

U-1 on hand                      Y/N  
 Heat Treat                        Y/N  
 X-Ray                                Y/N

**Tank Openings**

**Tank Details - Tank 2**

Description	Dimensions
O/A Length	A - 47' 1 5/8"
Length - weld to weld	B - 35' 6"
Diameter of Tank                      O. D.	C - 10' 11 7/8"
Weld to End	D - 5' 5"
Width of Piers	E - 1' 3"
C/C of Piers	F - 23' 6"
C/L of Piers to Weld end	G - 6' 5"
	H - 6' 3"

No	Size	Type	Description	Manufacturer:	AMF Beaird, Inc	Type of Head	Hemi
1	2.5"	NPT	n/a	Magnatel			
2	1"	ANSI	n/a	Pressure gauge (Ashcroft)	Date of manufacture	Dec-70	
3	0.75"	NPT	n/a	Thermometer			
4	3"	NPT	3"	"Propane Supply Line"	Working Pressure	250	
5	3"	NPT	21"	"Propane Supply Line"	National Board Number		0.9375
6	2"	NPT	40"	"Vapor Line"	Serial Number	178663X01	0.528
7		NPT		Relief valves (internal)	Steel Type:		
8				Manway		X = unreadable #	Pier Type (Concrete / saddles / Flat )
9		NPT		capped	Jurisdiction #		Tank Saddles                      Saddles on concrete piers
10							L = 9' 7 3/4"
11				Gauge type	Magnatel		W = 1'
12				Thermometer	Dial		H = 3' 6"
13				Paint Condition:	Excellent		Steel, 2 bolts anchored to pier
14				Color:	White		
15						Information taken by:	K. Landwehr
16				Relief Valve Type	Internal	Date:	2/25/2008
17				Test Date		Tank Location	Excelsior Union Plant