


Manway Cover Detail



Outside Dia	25.5"
No of bolts:	16
Bolt length:	7"
Bolt dia.:	1.25"
Nom. size:	
Rating:	
Type:	
Height of above shell:	11.5"

Inches from Head Seam

Code Plate

U-1 on hand Y/N
Heat Treat Y/N
X-Ray Y/N

Tank Openings

Tank Details

Description

Dimensions

O/A Length	A -	66' 9"
Length - weld to weld	B -	61' 9"
	C -	108"
Weld to End	D -	2.5"
Width of Piers	E -	16"
C/C of Piers	F -	34' 9"
C/L of Piers to Weld end	G -	10' 9"
	H -	

No	Size	Type	Description	Manufacturer:	Superior Welding	Type of Head	elp	
1	4"	Flanged	Liquid Bottom Opening					
2	.75"	Threaded	Thermo Well	Date of manufacture	1957			
3	2.5"	Threaded	Float Gauge			Tank Capacity	USWG	30,000
4	.5"	Threaded	Pressure Gauge	Working Pressure	250 @ 650F	Tank Weight	estimated	79,000
5				National Board Number	3492	Tank Shell		.860"
6				Serial Number	5295	Tank Head		.851"
7				Steel Type:				
8			Manhole Openings	U Stamp	W	Pier Type (Concrete / saddles / Flat)	Concrete	
9	4"	Flanged	2- 4" Flanged Openings	Jurisdiction #		Tank Saddles	n	
10	2"	Threaded	5- 2" Threaded Openings	Pressure Gauge	y			
11				Liquid Level Gauge	y			
12								
13				Paint Condition:	good			
14				Color:	white			
15						Information taken by:	Gary M	
16				Relief Valve Type	multiport	Date:	5/5/2009	
17				Test Date	na	Tank Location	GM Janesville WI.	

Total Energy Corp

Tank Sketch of field Information

1

—

2

3

4

5